RETAIL EDITION



MITTEN

BUILDING PRODUCTS

PRODUCT & SHOWCASE &









INDEX

BUILDING PRODUCTS

Mitten provides the most comprehensive selection of high quality, in-stock exterior design solutions.

Mitten helps Architects, Builders and Installers make their ideas and projects come to life by supplying quality materials in an endless variety of design solutions that are easy to install. Mitten sets the benchmark for quality, design options and product availability.

As part of the Cornerstone Building Brands family, we are the largest manufacturer of exterior building products in North America.

Sentry Variegated ... 4, 5 Sentry ... 6, 7 Highland ... 8, 9 Oregon Pride ... 10, 11 Vinyl Trims & Accessories ... 12, 13 14 Vinyl Soffit ... 16, 17 LUX Architectural Products ... 18, 19 Ply Gem Steel Siding ... 20 Certificate of Conformance/Warranty ... 21 Vinyl Colour Matrix ... 34, 35



BRANCH LOCATIONS

Branch Locations......39




Ply Gem Aluminum . . 22, 23 Alu-Rex Gutter Protection 24 Aluminum Colour Matrix 36, 37

SHAKE & STONE



TOOLS YOU CAN USE!





Free Samples

Want to see a colour up close? Order up to 5 complimentary vinyl siding and colour matched shake sample chips online.

Visit **mittensiding.com** and order your free samples!



COLOURMATCH

The Mitten Colour Match Concept

Mitten Siding & Accessories offer you the choice to match your Vinyl Siding colours with an extensive variety of complementary products.

Choose Colour Matched Aluminum Trim, Shake, Blocks/Mounts/Vents, Caulking and Fasteners. We even have colour matches on file with major paint manufacturers. Have confidence knowing your home is going to look great with Colour Matched Mitten Siding and Accessories.



Visualization

Take the guesswork out of your exterior makeover, try different products and colour combinations. You can use one of our pre-masked photos, or upload and customize a photo of your own home.

Visit the **Mitten Visualizer** section of www.mittensiding.com or download the **Mitten Pro iPad App** (Search "Mitten Pro" for iPad only).



Sales Leads

Each month, tens of thousands visit our website. Homeowners searching for product information are directed to the "Where To Buy" contractor locator or they can click "Get an Estimate" to be connected with a member of the Mitten ProNetwork. By completing a short online form to detail their project, these homeowners quickly become pre-qualified sales leads. Take advantage of the website traffic generated by **mittensiding.com** and boost your business by signing up for the Mitten ProNetwork.



Online Training

Continue to develop your skills and knowledge with Mitten Online Training. To be successful, everyone needs to have knowledge about the products they sell, install, service or support. Go to mittentraining.com or to our website at **mittensiding.com**

Social Media



Facebook



Twitter



LinkedIn



YouTube

@MittenSiding

- Stay in touch •
- Get Inspired •
- Share your projects •
- Provide feedback •
- Learn about our products
 - Share your story •





Our ultra premium variegated siding features four multi-tone RUSTIC colours to achieve the stunning look of stained cedar with a deep textured woodgrain. Painting, sealing or caulking is never required, and the panels are backed by a **No Fade Promise*** along with Mitten's limited lifetime warranty.

Available in Sentry's three popular profiles including a vertical Board & Batten panel, the four richly grained and inviting colours are easy to install, architecturally pleasing and sure to create instant curb appeal.

RUSTIC Colours

D4H = Double 4" Horizontal

B&B = Board & Batten









D4.5DL = Double 4.5" Dutchlap

Performance Features:



NO FADE PROMISE



PREMIUM .044" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS TWO TONE FINISH




LIMITED LIFETIME WARRANTY



*Product will not fade in excess of a Delta E of 1 Hunter unit outside the manufacturing tolerances in the first 5 years and a Delta E of 2 Hunter units outside the manufacturing tolerances after the first 5 years from the date of the original installation of the product on the property.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

SENTRY Variegated Vinyl Series - Pictured below in Farmhouse



Width/Pc:

Panels/Ctn: Coverage/Ctn: 100 sq. ft. 9.29 m² Nom. Thickness: .050" 1.27 mm Windload Data:

195 mph 313KM/h

17.78cm

Horizontal Shown in

Double 4"

Farmhouse

Length/Pc: 12'6" 3.81m

Width/Pc: 20.32cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. 18.58 m²


Nom. Thickness: .044" 1.12 mm

Windload Data: 180 mph 290 KM/h





Farmhouse



Arctic Grey



Hemlock

Double 4.5" **Dutchlap**

Shown in Arctic Grey

Length/Pc: 12'1' 3.68m

Width/Pc: 22.86cm

Panels/Ctn:

22

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness: .044"

1.12 mm Windload Data:

180 mph 290 KM/h






Performance

Our premium product line offers a .044" thick panel and a complete selection of Bold Premium & Natural Standard colour options. Profiles feature a cedargrain texture in a low-gloss finish with a distinctive deep silhouette for rich shadow lines. Board & Batten profile is also available for vertical applications.

Features:

COLOUR MATCHED ALUMINUM & ACCESSORIES













LIMITED LIFETIME WARRANTY

Bold Premium Colours:



D4H D4.5Dl в&в Yukon Grey

D4H = Double 4" Horizontal **D4.5DL** = Double 4.5" Dutchlap **B&B** = Board & Batten



D4H

в&в

D4.5DL



D4H

в&в

D4.5DL



















в&в Regatta Blue

D4H

в&в

D4.5DL



Burnt Orange



D4H D4.5DL в&в Khaki Brown



D₄H

Chestnut Brown

Natural Standard Colours:



Coffee Bean



D4H

В&В

D4.5DL



В&В



D4.5DL

в&в







D4H D4.5D

В&В

Clay
D4H D4.5DL B&B
Satin Grey







Ash

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Lite Maple



.050"

Windload Data: 195 mph 313KM/h

1.27 mm

Double 4.5" Dutchlap

Shown in Grenadier Green

Length/Pc:

3.68m

Width/Pc:

9" 22.86cm

Panels/Ctn:

22

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness:

.044" 1.12 mm

Windload Data:

180 mph 290 KM/h

Double 4" Horizontal

Shown in Lighthouse Red

Length/Pc:

12'6" 3.81m

Width/Pc:

8" 20.32cm

Panels/Ctn:

24

Coverage/Ctn: 200 sq. ft. 18.58 m²

Nom. Thickness: .044" 1.12 mm

Windload Data: 180 mph 290 KM/h

Trims & Accessories:

Sentry also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.




HIGHLAND BUILDING PRODUCTS

COLOURMATCH

Highland is our most complete product line offering a wide selection of six different .042" thick profiles and a variety of colours.

Attractive profiles feature a satin finish wood-grain texture and complement a variety of architectural styles.



Satin finish wood-grain texture shown in Nickel

Performance Features:



COLOUR MATCHED ALUMINUM & ACCESSORIES



PREMIUM .042" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS **COLOUR-RICH FINISH**



LIFETIME COLOUR ■ FADE PROTECTION



LIMITED LIFETIME WARRANTY

Bold Premium Colours:



D4.5DL D5DL ТЗН Rockaway Grey



Trims & Accessories

Highland also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.

Natural Standard Colours:

D4H D4 5H D4.5DL D5H D5DL ТЗН Frost D4H

D4.5DL D5H D5DL ТЗН Clay

D4H D4.5DL D5H D5DL ТЗН Satin Grey D4H D4 5H D4.5DL D5H D5DL ТЗН Bone

D4H D4 5H D4.5DL D5DL Hearthstone

D4H D4.5DL ТЗН

D4H D4.5H D4.5DL D5H D5DL ТЗН Ivory

D4H D4.5H D4.5DL D5DL ТЗН Sandalwood

D4H D4.5DL ТЗН Nickel

D4H D4.5H D4.5DL D5DL ТЗН Cypress

D4H D4.5H D4.5DL D5H D5DL ТЗН Ash

D4H Indigo D4.5F D4.5DL T3H Stratus

D4H D4 5H D5DL Sandcastle

D4H D4.5DL D5DL T3H Flagstone

D4H D4.5H D4.5DL D5H D5DL Lite Maple D4H D4.5DL Brownstone

D4H D4.5H D4.5DL D5DL Saffron

D4H = Double 4" Horizontal **D4.5DL** = Double 4.5" Dutchlap **D4.5H** = Double 4.5" Horizontal **D5DL** = Double 5" Dutchlap **D5H** = Double 5" Horizontal T3H = Triple 3" Horizontal

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.



Triple Three

Shown in Lite Maple

Length/Pc: 12' / 3.66m

Width/Pc:

10" / 25.4cm **Panels/Ctn:**

20

Coverage/Ctn: 200 sq. ft. / 18.58 m²

Nom. Thickness: .040" / 1.02 mm
Windload Data: 155 mph / 249 KM/h

Double 5" Horizontal

Shown in Sandcastle

Length/Pc: 12' / 3.66m **Width/Pc:** 10" / 25.4cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m²

Nom. Thickness: .042" / 1.07 mm Windload Data:

Windload Data: 160 mph / 257 KM/h

Double 5" Dutchlap

Shown in Ash

Length/Pc: 12' /3.66m

Width/Pc: 10" / 25.4cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m²

Nom. Thickness: .042" / 1.07 mm

Windload Data: 160 mph / 257 KM/h

Double 4.5" Horizontal

Shown in Brownstone

Length/Pc: 12'1" / 3.68cm **Width/Pc:**

9" / 22.86cm **Panels/Ctn:**

Coverage/Ctn: 200 sq. ft. / 18.58 m² Nom. Thickness:

.042" / 1.07 mm **Windload Data:** 160 mph / 257 KM/h

Double 4.5" Dutchlap

Shown in Clay

Length/Pc: 12'1" / 3.68cm

Width/Pc: 9" / 22.86cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m²

Nom. Thickness: .042" / 1.07 mm Windload Data:

160 mph / 257 KM/h

Double 4" Horizontal

Shown in Khaki Brown

Length/Pc: 12'6" / 3.81m

Width/Pc: 8" / 20.32cm

Panels/Ctn:

Coverage/Ctn: 200 sq. ft. / 18.58 m²

Nom. Thickness: .042" / 1.07 mm Windload Data:

160 mph / 257 KM/h



REGONPRIDE® BUILDING PRODUCTS

Our traditional product line, offering a wide selection of profiles in classic .040" thick panels. Profiles feature a subtle wood-grain appearance.



Subtle painted cedar texture shown in Brownstone

Performance Features:



COLOUR MATCHED **ALUMINUM & ACCESSORIES**



CLASSIC .040" THICKNESS



HURRICANE FORCE WIND SPEED RATED



CONTOURED LOCK SYSTEM



ROLL-OVER NAIL HEM



LOW GLOSS





LIFETIME COLOUR **FADE PROTECTION**



LIMITED LIFETIME WARRANTY

Trims & Accessories

Satin Grey

Oregon Pride also has a variety of trims and accessories which can be found on page 12 - 14 of this catalogue.

Natural Standard Colours:

D4H D4DL D4.5H D4.5DL D5DL D5V	D4H D4DL D4.5H D4.5DL D5DL D5V	D4H D4DL D4.5H D4.5DL D5DL D5V	D4H D4DL D4.5H D4.5DL D5DL D5V	D4H D4DL D4.5H D4.5DL D5DL D5V
Frost	Bone	lvory	Cypress	Stratus
D4H D4DL D4.5H D4.5DL D5DL D5V Clay	D4H D4DL D4.5H D4.5DL D5DL D5V Hearthstone	D4H D4DL D4.5H D4.5DL D5DL D5V Sandalwood	D4H D4.5DL D5V	D4H D4.5DL D5V Sandcastle
D4H D4.5DL D5V	D4H D4.5DL D5V	D4H D4DL D4.5H D4.5DL	D4H D4.5DL D5V	D4H = Doi D4DL = Doi D4.5H = D

D5DL D5V

Nickel

D5DL D5V Stratus	D4.5DL D5DL D5V Flagstor
D4H D4.5DL D5V	D4H D4.5DL D5V
Sandcastle	Lite Map

4.5H	D4.5H
4.5DL	D4.5DL
5DL	D5DL
5V	D5V
Flagstone	Brownstone
4H	D4H
4.5DL	D4.5DL
5V	D5V
Lite Maple	Saffron

D4H

ouble 4" Horizontal Double 4" Dutchlap **D4.5H** = Double 4.5" Horizontal **D4.5DL** = Double 4.5" Dutchlap **D5DL** = Double 5" Dutchlap **D5V** = Double 5" Vertical

D4D

Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Indigo



Length/Pc:

12' 3.66m

Width/Pc:

10" 25.4cm

Panels/Ctn:

20 Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness: .040" 1.02 mm

Windload Data:

NA

Length/Pc:

2' 3.66m

Width/Pc:

10" 25.4cm

Panels/Ctn:

20

Coverage/Ctn:

200 sq. ft. 18.58 m²

Nom. Thickness:

.040" 1.02 mm

Windload Data: 140 mph 225 KM/h Length/Pc:

12'1' 3.68m

Width/Pc:

9" 22.86cm

Panels/Ctn:

22

Coverage/Ctn: 200 sq. ft. 18.58 m²

Nom. Thickness:

.040" 1.02 mm

Windload Data: 140 mph 225 KM/h Length/Pc:

12'1' 3.68m

Width/Pc:

9" 22.86cm

Panels/Ctn:

22

Coverage/Ctn: 200 sq. ft. 18.58 m²

Nom. Thickness:

.040" 1.02 mm

Windload Data: 140 mph 225 KM/h Length/Pc:

12'6" 3.81cm

Width/Pc:

8" 20.32cm

Panels/Ctn:

24

Coverage/Ctn:

200 sq. ft. 18.58 m² **Nom. Thickness:**

.040" 1.02 mm

Windload Data: 140 mph 225 KM/h Length/Pc:

12'6" 3.81m

Width/Pc:

8" 20.32cm

Panels/Ctn:

24


Coverage/Ctn: 200 sq. ft. 18.58 m²

Nom. Thickness:

.040" 1.02 mm Windload Data:

140 mph 225 KM/h






1/2" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all soffit applications.

Length/Piece: 12' / 3.66 m Pieces/Carton: 50 / 50 Coverage/Carton: 600 LF / 182.88 m






STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding. INSTALLATION NOTE: Starter strip must be level!

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m







7/8" J-CHANNEL - 1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with shake and shingle applications.

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m






GALVANIZED STARTER STRIP

Used in every installation at the bottom of the wall to install the first row of siding. INSTALLATION NOTE: Starter strip must be level!.

Length/Piece: 9'-10" / 2.99 m Pieces/Carton: 20 / 20 Coverage/Carton: 196 LF / 59.94 m






1/2" F-CHANNEL

Used for soffit applications, installation starting point at the wall.

Length/Piece: 12' / 3.66 m Pieces/Carton: 30 / 30 Coverage/Carton: 360 LF / 109.73 m





5/8" J-CHANNEL -1" FACE

Used for trimming around windows & doors, and at the roof line to hide ends of siding panels and create a finished look. Used with all standard siding applications.

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m








FINISH TRIM

Used above and below windows & doors and at the top of siding wall at soffit levels for decorative finish.

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m


TRIMS & ACCESSORIES



H-TRIM

Double channel trim that provides a transition between horizontal and vertical siding.

Length/Piece: 12' / 3.66 m Pieces/Carton: 12 / 12 Coverage/Carton: 144 LF / 36.58 m



RECESSED WINDOW & DOOR TRIM

Used as a return around windows & doors.

Length/Piece: 12' / 3.66 m Pieces/Carton: 16 / 16 Coverage/Carton: 192 LF / 58.52 m



BELT LINE

Same function as the H-Trim, to provide a transition between horizontal and vertical siding. Can also be used as a Starter Strip for horizontal to vertical siding applications.

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m



3-1/2" WINDOW & DOOR TRIM

Used around windows & doors for a decorative finish.

Length/Piece: 12' / 3.66 m Pieces/Carton: 10 / 10 Coverage/Carton: 120 LF / 36.58 m



DRIP CAP

Used above windows & doors to channel water away from the wall.

Length/Piece: 12' / 3.66 m Pieces/Carton: 40 / 40 Coverage/Carton: 480 LF / 146.30 m



FASCIA

Used to provide a decorative finish over the roof rafters.

Length/Piece: 12' / 3.66 m Pieces/Carton: 10 / 10 Coverage/Carton: 120 LF / 36.58 m



WINDOW CASING TRIM

Decorative accent for windows.

Length/Piece: 12' / 3.66 m Pieces/Carton: 10 / 10 Coverage/Carton: 120 LF / 36.58 m




FASCIA-J

Used to provide a decorative finish over the roof rafters complete with J-Channel for soffit starting point. Length/Piece: 12' / 3.66 m Pieces/Carton: 20 / 20 Coverage/Carton: 240 LF / 73.15 m

VINYL SIDING TRIMS & ACCESSORIES



COLOURMATCH






INSIDE CORNER POST

Used to join siding panels at the inside corner of the wall.

Length/Piece: 10' / 3.05 m Pieces/Carton: 20 / 20 Coverage/Carton: 200 LF / 60.96 m








TRADITIONAL 5-1/2" OUTSIDE CORNER POST - 20'

Wider & longer corner application to provide a finished look at the corners of the wall.

Length/Piece: 20' / 6.096 m Pieces/Carton: 5 / 5 Coverage/Carton: 100 LF / 30.48 m







3" OUTSIDE CORNER POST - 10'

Used to cover corner end of the wall and to provide a finished look.

Length/Piece: 10' / 3.05 m Pieces/Carton: 12 / 12 Coverage/Carton: 120 LF / 36.58 m








FLUTED 5-1/2" OUTSIDE CORNER POST - 20'

Wider & Longer corner application to provide a finished look at the corners of the wall.

Length/Piece: 20' / 6.096 m Pieces/Carton: 5 / 5 Coverage/Carton: 100 LF / 30.48 m





3" OUTSIDE CORNER POST - 12'

Used to cover corner end of the wall and to provide a finished look.

12' application for longer corners.

Length/Piece: 12' / 3.66 m Pieces/Carton: 12 / 12 Coverage/Carton: 144 LF / 43.89 m

MITTEN

Vinyl Trims & Accessories are colour matched to Mitten Vinyl Siding!

Please refer to the Vinyl Colour Matrix found on pages 34 & 35 for full product offering

5 Reasons Vinyl Siding Remains the Top Home Exterior Design Choice



Reasons Vinyl Siding Remains the Top Home Exterior Design Choice

Did you know? Vinyl siding is the primary cladding material on nearly one third of all new homes built.1

Boosts Curb Appeal



THE COLOURS of Mitten Siding & Accessories are certified through the Vinyl Siding Institute (VSI) Product Certification Program for colour retention.

Its unmatched selection of profiles, shapes, textures and colours makes vinyl siding ideal for any home renovation.

Those who re-sided their homes with vinyl siding recouped more than 74% of that cost when selling.2

Weather Resistant

MITTEN SIDING & ACCESSORIES is weather resistant, fade resistant and insect resistant.3



NEVER ABSORBS WATER



FADE RESISTANT



NSECT RESISTANT




Never Requires Painting

MITTEN SIDING & ACCESSORIES are

third-party tested and certified for quality and colour retention. The colour is inside the product, not on top of the surface. It does not crack, peel or fade.

Vinyl siding requires no painting or caulking, just simple cleaning with a garden hose.





High Performance



VIRTUALLY INDESTRUCTIBLE



RESISTS WIND SPEEDS UP TO 195 MPH/313KPH.

Peace of Mind



MITTEN SIDING & ACCESSORIES are backed by industry-leading warranties that last the lifetime of a home and transfer to the next owner.



LIMITED LIFETIME WARRANTY



- Canadian Consumer Practices Report 2017. Home Innovations Research Center.
- 2020 Cost vs. Value Report, Remodeling
- Magazine.




VINYL SOFFIT



COLOURMATCH

Equinox T3-1/3" Soffit

Premium 10" wide heavy duty soffit engineered to perform, Panels provide a smooth, flat surface and offers the perfect balance of aesthetics and performance.



- Triple 3-1/3" profile (10" wide)
- Premium .045" thickness for extra rigidity
- Deep ½" panel projection for sharp definition
- Solid or Hidden Vent
- A Hidden Vent system gives your home a clean and stylish look plus superior ventilation performance

Length/Pc: 12' (3.66m)

Width/Pc: 10" (25.4cm) Panels/Ctn: 20 Coverage/Ctn: 200 sq. ft. (18.58 m²)

Net Free Air Intake Per Foot: Vented 8.4 sq. in.

Triple 4" Soffit

U groove designed for greater rigidity, delivering outstanding performance, quality and durability. SOLID



Features:

- Triple 4" profile (12" wide)
- 040" thickness
- · Solid, Lanced or Perforated

Length/Pc: 12' (3.66m)

Width/Pc: 12" (30.48cm) Panels/Ctn: 16


Coverage/Ctn: 192 sq. ft. (17.84 m²)

Net Free Air Intake Per Foot:

CV 2.4 sq. in. FV 7.2 sq. in. Perforated: CV 1.96 sq. in. FV 5.89 sq. in.

Double 5" Soffit

Combines U groove design and attractive appearance with the rigidity and durability of premium vinvl.



Features:

- Double 5" profile (10" wide)
- .040" thickness
- Solid or Perforated
- Non-ventilated panels may also be used as vertical siding accent

Length/Pc: 12' (3.66m)

Width/Pc: 10" (25.4cm) Panels/Ctn: 20 **Coverage/Ctn:** 200 sq. ft. (18.58 m²) Net Free Air Intake Per Foot:

Perforated Full Vent 4.2 sq. in.

Due to the printing process colours may not be exactly as shown. Please refer to actual samples Natural Standard Colours: before making final decisions. Inquire with your distributor to confirm colours and products.











ET3-1/3" = Equinox T3.5" Soffit B7" = 7" Beaded Soffit JF8" = Jamb-Fit™ 8" Soffit

D5" = Double 5" Soffit T4" = Triple 4" Soffit

JF16" = Jamb-Fit™ 16" Soffit

Sage

^{*} For Soffit applications only.

Vinyl Soffit provides essential ventilation and air movement through the roof structure, eliminating moisture that can cause rotting and decay. It will not rot, peel, chip, flake or blister and vinyl never needs to be painted. All Mitten Vinyl Soffit products feature a Limited Lifetime Warranty.

7" Beaded Soffit

7" wide panel ideal for porch ceilings or to cover up larger areas, adding character and a traditional finishing touch.

Jamb-Fit™ 8" Soffit

A durable soffit with an easy to install slide lock.

SOLID PERFORATED

HIDDEN VENT SOLID

Features


- Single 7" wide profile
- .040" thickness
- Solid or Hidden Vent
- A hidden vent system gives your home a clean and stylish look plus superior ventilation performance

Length/Pc: 12' (3.66m)

Width/Pc: 7" (17.8cm) **Panels/Ctn:** 28

Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: Vented 2.66 sq. in.



Features:

- Double 4" profile (8" wide)
- .040" thickness
- Solid or Vented

Length/Pc: 12' (3.66m) Width/Pc: 8" (20.32cm)

Panels/Ctn: 24 Coverage/Ctn: 2 sq/box

Net Free Air Intake Per Foot: 3.14

Jamb-Fit™ 16" Soffit

A wider soffit panel providing easy transition from eaves to wider overhangs, complete with an easy to install slide lock.



Width/Pc: 16" (40.64cm) Panels/Ctn: 12

Coverage/Ctn: 2 sq/box Net Free Air Intake Per Foot: 6.26

MITTEN PLEASANTVIEW

BUILDING PRODUCTS SKIRTI

• Skirting secures to the perimeter of any mobile home, cottage, deck or foundation

- Vinyl skirting will not rot, peel, flake or blister.
 No need to paint ever
- Ventilated panels encourage air flow and reduce moisture build-up and musty odours
- Front rail pops up so skirting can be easily removed to access storage areas
- Available in Frost to complement any application
- A great alternative to wooden lattice as it won't attract termites

	TRIPLE 4"	SKIRTING	FRONT/BA	CK BOTTOM RAIL
Length/Pc	12'	3.66 m	12′	3.66 m
Width/Pc	12"	30.48 cm		
Panels/Ctn	16	16	16	16
Coverage/Ctn	192 sq. ft.	17.84 m²	192 LF	58.52 m²

Note: Vented Skirting has 14 pcs/ctn. covering 168 sq. ft./15.6 m²







The reliability of prefinished steel with the timeless beauty of wood

CCMC #14137-L Compliant

- LUX Panel is available in any custom length from 4' to 24'
- · No minimum order required
- Premium Kynar finish durable and long lasting
- Full line of standard & custom flashings available
- Non-combustible
- 25-Year finish warranty
- Optional venting
- Impenetrable to insects
- Water resistant
- Manufactured in Canada
- LUX passes the CAN/ULC S102-10 with a ZERO Flame Spread rating!
- LUX passes ASTM B117 Salt Spray Test
- LUX meets and conforms to CGSB-93.4-92 as per Standards Council of Canada, National Research Council Canada, National Building Code of Canada
- LUX passed the National Research Council of Canada Wind Load Test


LUX COLOURS










































RP

















RP




















C = Custom Length Program

 $\mathbf{B} = 12' \, \text{Box Program}$

RP = Random Plank, Privacy Fence & Folded Wall Program

SMOOTH V-GROOVE PANELS



SOFFIT PANELS

4" & 6"







RANDOM PLANK

The Random Plank wall cladding is a product of meticulous craftsmanship that joins together easily to form a sophisticated architectural panel.

The Random Plank can be created in any of the LUX colours.

The Random Plank can be created in any of the LUX colours. This product has been immensely successful in finding its place on contemporary residential, multi-unit residential and even as an indoor fireplace surround.



PRIVACY FENCE

The LUX Privacy Fence is a durable, easy to assemble, and waterproof privacy screen for commercial and residential applications. The posts are wrapped in LUX and the panels simply slide into place for easy installation.



FOLDED WALL

The LUX Folded Wall derives its name from the unique brake-forming process that's used to create it. With the use of a brake, the folded wall is accurately hand-made by our craftsmen to create a unique and beautifully folded sculptural panel that can be used as a feature accent, or to clad an entire building.







Exceptional Beauty, Unbeatable Strength

- Available in five different profiles: D4, D5, DL5, S8 and B&B
- 21 colours
- Matching Trims & Accessories
- Limited Lifetime Warranty on defects plus 50-year hail and 25-year chalk/fade

Premier Performance

FADE, FIRE AND IMPACT RESISTANT

- Exceptional colour retention
- Class A/Class 1 fire rating
- · Tough against bumps and dents

IDEAL IN EXTREME WEATHER CONDITIONS

- Protected from harsh weather elements. like hail or wind
- Does not absorb water like other cladding options
- Withstands extreme temperature changes

SUSTAINABLE STEEL

- We value the environment and strive to minimize our footprint
- Steel is 100% recyclable
- Made from approximately 50% recycled materials

BACKED BY AN INDUSTRY LEADING WARRANTY

- Instills peace of mind
- Limited Lifetime Warranty including 50-year hail and 35-year chalk and fade

D4H

D5H

D4H D5H D5DL S8H B&B White

D4H D5DL в&в Natural Slate D4H D5H Charcoal Grey

S8H B&B Deep Granite S8H B&B Quiet Willow

D5DL В&В Musket Brown

Terra Bronze

D4H

D5H

S8H

в&в

D4H в&в

S8H B&B Montana Suede

Pebblestone Clav

Rugged Canyon

S8H B&B Mahogany

D5H

D5H D5DL S8H B&B Red Brick

D4H

D5H

D4H

Newport Bay D4H D5H S8H

D4H D5H D5DL S8H B&B

Dark Bronze

Brandy Wood

Jefferson Tan

D4H D5H D5DL S8H

D4H D5H D5DL B&B

D5H D5DL S8H В&В Cameo

D4H

D5DL B&B Desert Sand в&в Musket Brown

D4H = Double 4" Horizontal **D5DL** = Double 5" Dutchlap

B&B = Board & Batten

D5H = Double 5" Horizontal **S8H** = Single 8" Horizontal

CERTIFICATE OF CONFORMANCE / WARRANTY

	PRODUCT PHYSICALS			
TEST	STANDARD METHOD	UNITS OF MEASURE	RESULT	
IZOD Impact (0°C/32°F)	ASTM D-256	ft/lb/in.	3.53	
IZOD Impact (23°C/73°F)	ASTM D-256	ft/lb/in.	33.9	
Tensile Strength	ASTM D-638	PSI	8200	
Modulus of elasticity	ASTM D-638	PSI	370000	
Deflection of temperature under load @ 264 PSI	ASTM D-648	°F	163	
Coefficient of linear expansion	ASTM D-696	x10 ⁵ in./in./°F	4.3	
Chemical Resistance	ASTM D-543		excellent	
Cell classification	ASTM D-1784	class#	13544-B	
FIRE	RELATED PROPERTIES - P	PVC		
Flame spread index			18	
Fuel contribution	ASTM E-84, UBC 42-1			
Self ignition temperature, °F	ASTM D-1929, UBC 52-3 810			
Smoke density rating (%)		•	42.1	
Maximum smoke density (%)	ASTM D-2843, UBC 52-2 56.0			
Visibility of exit sign	Good			
Total burn time, seconds	<5			
Extent of burning, mm	ASTM D-635 <5			
SIDING/EXTRUI	DATE TYPICAL PHYSICAL	PROPERTIES		
Impact Resistance (23°C/73°F)	ASTM D-4226 in-lb >80			
Low Temperature flexibility	CGSB41-GP-24Ma % pass >			

CODES/STANDARDS - Mitten Vinyl Siding conforms and/or surpasses certification standards in many countries.

CANADA
CAN/CGSB-41.24.95
CCMC Acceptance No. 06419L

Shrinkage/reversion

Surface Distortion

UNITED STATES OF AMERICA ASTM 3679 AUSTRALIA AS/NZ S4256 Type B EUROPE
CE Certification

<3.0

>131

UBC Standard 14-2 NES NER 528

Warranty:

All Mitten Vinyl products are covered by a Lifetime Limited Warranty. See warranty or visit mittensiding.com for details and limitations.

ASTM D-1042

CGSB41-GP-24Ma

ASTM D-3679-02

NES Certification: Mitten has received confirmation by the National Evaluation Service, Inc. (NES) at nateval.org that its vinyl siding products comply with the exterior wall covering and wind resistance provisions of the three U.S. model building codes (BOCA National, ICBO Uniform and SBCCI Standard) in addition to the new 2000 International Building Code of the International Code Council. This confirmation, as evidenced in the NES evaluation report (NER-528), provides guidance to code officials faced with approving the use of Mitten vinyl siding under these codes.

VSI online at vinylsiding.org

Vinyl Siding Institute provides assurance to homeowners, remodelers, contractors, planners, code officials and architects regarding the quality of the vinyl siding they select and use. Vinyl siding, certified under the VSI Vinyl Siding Certification Program, has been independently verified by a third-party laboratory to meet or exceed ASTM D3679, the long-standing industry-wide standard for quality vinyl siding.


VSI Certified Siding Installer Program

VSI Certified Installer Program provides training and certification for vinyl siding installers and companies. For more information please visit vinylsiding.org.









CANADA'S STRONGEST ALUMINUM PROGRAM

Ply Gem aluminum products make it easy to dress up any home or light commercial building. Each product in the collection - Soffit, Fascia, Accessories, Trim Coil - will look and perform beautifully for years to come. Aluminum Soffit and Accessories by Ply Gem offer an assortment of smooth styles as well as a selection of colours designed to match or complement Mitten vinyl siding.

Two-coat acrylic outlasts other finishes

- Corrosion-resistant primer provides superior holding power
- Extra tough acrylic top coat resists scratches and dirt
- Resists fading and weathering year after year

Two-coat

acrylic finish

gives an ultra-

thick surface

that resists

scrapes and

SCRATCH RESISTANCE



scratches.

ONE-COAT POLYESTER PAIN

FADE RESISTANCE Two-coat



TWO-COAT ACRYLIC FINISH



has excellent colour retention and ensures a consistent look for years to come

acrylic finish

ONE-COAT POLYESTER PAINT

Unmatched Quality

QUALITY RAW MATERIALS

- Meets or exceeds the highest aluminum specifications for grade, hardness and temper
- Highest tensile strength aluminum

PROPRIETARY FINISHING SYSTEM

- Five-stage cleaning process
- Corrosion-inhibiting primer
- Ultra-tough, low-mar topcoat
- Finish applied to both sides

DEMANDING QUALITY TESTING AND CONTROLS

- Paint thickness and consistency
- Paint adhesion
- Colour accuracy
- Maintain gloss
- Five flatness checks prevents oil canning
- Retained shape consistent shape of formed product
- Solvent resistant prevents peeling, flaking and weather erosion
- Peak metal temperature ensures full paint cure
- Three metal strength tests ensures proper stiffness, bendability and impact resistance

TRIM COIL - Cuts Clean, Bends Sharp, Lays Flat



Ply Gem trim coil meets the highest aluminum specifications for grade, hardness, temper (flexibility) and gauge (thickness). Tension-leveled to create a dimensionally accurate product with uniform surfaces and excellent forming characteristics, Ply Gem trim coil is known for straight, consistent edges and an attractive finish.

- 24" x 98' (60cm x 30m) Heavy Trim Coil 1 side painted: .0205 gauge
- 24" x 98' (60cm x 30m) Heavy Trim Coil 2 sides painted: .0215 gauge

Available in our Core Colours and matched to Mitten Standard and Premium siding colours.



ACCESSORIES

Ply Gem offers a complete line of colour-matched accessories that work in harmony with each product in our aluminum program. Our Starter Strip, J-channels and Drip Edge blend into the overall look and feel of your home.







J-Channel See Matrix on pages 44 & 45 for complete product offering

SOFFIT & FASCIA

A COMPLEMENTARY FINISH

Ply Gem Aluminum Soffit & Fascia features a durable, virtually maintenance-free finish in a variety of styles. Venting options can help create positive air flow in the attic and rafters to help prevent moisture buildup. Add a lasting finishing touch to your soffit application with premium Aluminum Fascia. Both premium Aluminum Soffit and Fascia are available in a variety of styles and colours.






QUAD 4 SOFFIT

- Available in Solid and Full Vent styles
- Full Vent offers 5.16" sq./in per lin/ft of net free air space



- Available in 6", 8", 8-1/2" and 10" widths
- Smooth or ribbed





RAINWARE



A Beautifully Defensive Solution

Ply Gem rainware products systematically provide years of lasting protection.

You will find a complete line of superior quality gutter coil, downspouts, elbows, corners, end caps, drip edge & gutter accessories to whisk away water.



Gutter Coil



Downspouts



Elbows

See Matrix on pages 36 & 37 for complete product offering





AVAILABLE IN 6"





	t+rex*	gutter•clear
Installs over existing gutters		✓
Installs over new gutters	✓	
Strengthens gutters so they can support 250 lbs per linear foot	✓	
Fastens gutters to the house	✓	
Replaces spikes and hangers	✓	
Protects gutters from leaves and debris	✓	✓
Can handle 29.7" (755mm) of water per hour	✓	✓
Reduces problems with ice and snow	✓	✓
No clog 40-year warranty	✓	✓
Lifetime warranty on material and sturdiness	✓	





- Lifetime warranty
- Increased sturdiness along the entire length of the gutter
- Best protection against damages and water infiltration
- Available in Carbon Black



- 40-Year clog-free warranty
- Sturdy aluminum construction
- Prevent water infiltration





Optimal Drainage



Unparalleled Protection





BUILDING PRODUCTS

MITTEN COLOUR MATCHED 8' Shake

COLOURMATCH



ROUGH SAWN 8' SHAKE Shown in Yukon Grev

Length/Pc: 96.5" **-** 245.11 cm Panels/Ctn: 22

Width/Pc: 8.5" **-** 21.59 cm Coverage/Ctn: Approx. 1 square Exclusive National Distributor

A low maintenance alternative to cedar shakes, at a fraction of the cost, with high attachment to vinyl siding

- Mix & Match with Mitten vinyl siding
- Naturally textured surfaces
- Staggered butt ends for realistic look
- · Resists the effects of sun, heat and cold
- 26 of the most popular Mitten colours
- Corners & Half-Rounds also available





NovikShake NP Northern Perfection

For the look of real cedar... with no upkeep!

- Mix & match with Mitten vinyl siding
- Realistic wood grain texture
- Complements all types of siding
- Impervious to moisture, will not rot, split or decay
- Lightweight yet rigid material
- Quick & easy to install
- Corners also available in matching colours
- Virtually maintenance free
- Certification: CCMC 13420-R

Northern Perfection Colours:

Length/Pc: 46.88" (119.06cm) Width/Pc: 16.5" (41.91cm) Panels/Ctn: 11

Coverage/Ctn: 48.84 sq. ft. (4.54 m²)



Due to the printing process colours may not be exactly as shown.

Brownstone

Rockaway Grey

Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Coffee Bean

Gunmetal Grev



NovikShake™ is a low maintenance alternative to cedar shakes, at a fraction of the cost

NovikShake RS8

ROUGH SAWN 8' SHAKE Shown in Mitten Nickel



Length/Pc: 96.5" (245.11 cm) **Width/Pc:** 8.5" (21.59 cm)

Panels/Ctn: 22 Coverage/Ctn: Approx. 1 square

NovikShake RS

ROUGH SAWN SHAKE Shown in Novik Windsor Blue



Length/Pc: 48.75" (123.83 cm) **Width/Pc:** 14.5" (36.83 cm)

Panels/Ctn: 12 Coverage/Ctn: Approx. 1/2 square

NovikShake HS

HAND-SPLIT SHAKE Shown in Novik Brownstone



NovikShake HR

HALF-ROUND Shown in Mitten Brownstone



Length/Pc: 32" (81.3 cm) **Width/Pc:** 10" (25.4 cm)

Panels/Ctn: 22 Coverage/Ctn: Approx. 1/3 square

- Made in Canada
- Exclusive National Distributor
- Accessories available in matching colours
- Seamless joints
- No painting, staining or caulking required
- Lightweight yet rigid material
- Fast fit[™] features that simplify installation
- Impervious to moisture, can be installed right up to the roof line
- Hail resistant
- Resistant to warping, expansion, contraction and cracking
- Meets all major code requirements (ICC-ES, FBC, CCMC)
- Lifetime limited warranty



NovikStone[™] products bring the timeless beauty of masonry, from rustic charm to modern appeal while adding performance and durability that is simply unmatched

NovikStone DS

CARRARA COLLECTION - Shown in Grigio



Length/Pc: 41.5" (105.41 cm) **Width/Pc:** 13.13" (33.34 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/2 square

NovikStone SK

STACKED STONE - Shown in Smoke Grav



Length/Pc: 45" (114.3 cm) **Width/Pc:** 20.25" (51.44 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/2 square

NovikStone

ARTISAN CUT - Shown in Castle



Length/Pc: 45" (114.3 cm) **Width/Pc:** 20.25" (51.44 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/2 square

NovikStone PHC

PREMIUM HAND-CUT STONE Shown in Misty Beige



Length/Pc: 48" (121.92 cm) **Width/Pc:** 18.5" (47 cm)

Panels/Ctn: 9 Coverage/Ctn: Approx. 1/2 square

NovikStone DS

DRY STACK STONE - Shown in Anthracite



Length/Pc: 41.5" (105.41 cm) **Width/Pc:** 13.13" (33.34 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/4 square

NovikStone FS

FIELDSTONE Shown in Rocky Mountain



Length/Pc: 50" (127cm) **Width/Pc:** 19.13" (48.58 cm)

Panels/Ctn: 10 Coverage/Ctn: Approx. 1/2 square

NovikShake™ Colour Chart

Stain Natural Colour Collection Colour Chips # Colour RS8 RS HS HR Novik Trim 301 Oak Mountain Cedar #651 303 Walnut Brown #667 304 Teak Red Amber #652 305 Ebony Burnished Slate #682 306 Seguoia Barb Red # 198 **Blended Colour Collection** # Colour Colour Chips RS8 RS HS HR Novik Trim 201 Weathered Blend Weathered Blend #201 202 Cedar Blend Cedar Blend #202 208 Canvon Blend Canvon Blend #208 209 Desert Blend Desert Blend #209 229 Basalt Canyon Blend #208 231 Brownstone Cedar Blend #202 233 Anthracite Onvx #223 **Solid Colour Collection** # Colour RS8 RS HS HR Novik Trim **Colour Chips** White #001 001 White 063 Heritage Gray Heritage Gray #063 064 Sandstone Sandstone #064 486 Windsor Blue* Windsor Blue #486 Brunswick Green #487 487 Brunswick Green* 485 Coventry Gray* Coventry Gray #485

NovikShake Legend

RS8 - Rough Sawn 8' Shake

RS - Rough Sawn Shake

HS - Hand Split Shake

HR - Half Round

* New for 2021

NovikStone™ Colour Chart

Colour Chips	#	Colour	DS	SK	PHC	FS	AC	CC	Novik Trim
	262	Castle							Canyon Blend #208
75	263	Latte					•		Weathered Blend #201
	1000	Grigio						•	Heritage Gray #063
	229	Basalt	•						Canyon Blend #208
	231	Brownstone	•						Cedar Blend #202
- C - THE	233	Anthracite	•						Onyx #223
	234	Travertine	•						Heritage Gray #063
N	235	Limestone	•						Weathered Blend #201
	236	Lava	•						Onyx # 223
	237	Flint	•						Gray Black Blend #206
1	216	Aspen		•					Weathered Blend #201
	217	Smoke Gray		•					Weathered Blend #201
	218	Moka		•					Weathered Blend #201
	219	Terra		•					Terra #219
	223	Onyx	•	•	•				Onyx #223
	224	Sand Blend		•					Sand Blend #224
	225	Smoke White			•				Weathered Blend #201
	226	Shadow Gray			•				Gray Black Blend #206
	227	Misty Beige			•				Cedar Blend #202
	238	Grand Canyon				•			Gray Mortar #681
	240	Adirondacks				•			Gray Mortar #681
- TOPE	242	Rocky Mountains				•			Gray Mortar # 681

NovikStone Legend

DS - Dry Stack Sone **SK** - Stacked Stone

PHC - Premium Hand-cut Stone

FS - Fieldstone

AC - Artisan Cut

CC - Carrara Collection





ClipStone is an innovative, easy to install stone veneer. With simple common tools, you can turn a plain boring wall into an eye-catching, professional-looking stone wall.

Because these are individual stones, you will enjoy added design flexibility - and no more obvious long seams that are the result of many stone panels on the market today.

ClipStone goes up one at a time, just like traditional stone installed by a professional mason. Except you don't need the mason!

Easy to Install

- No masonry skills required
- No special tools needed
- No foundation required
- Lightweight, mechanical fastening system
- · No mortar, no mess
- No metal lath required
- No need to find studs when properly installed according to installation instructions
- Can be installed in all weather conditions
- Easy cleanup

Worry Free

- Durable Product
- Requires no maintenance
- No sealing, painting or cleaning required
- Backed by a 50-Year Limited Product Warranty



Great Performance

- Built-in, patented water management system
- Significant air circulation behind the stone veneer
- Overlapping stone edges minimize gaps between stones
- Starter strip has built-in weep flashing
- Universal corners can be used in either direction
- Corners are available in all styles and colours





ProStack Sizes

ProStack flats: 4'' tall pieces with lengths from 8'', 12'' and 16'' ProStack corner pieces: 8'' - 10''



Osceola ProStack



Teton Grey ProStack

Ledgestone Sizes

Ledgestone flats: 4" tall pieces with lengths from 6" up to 17" Ledgestone corner pieces: 8" - 10"



Black Creek ProStack



Black Rundle ProStack



Poinset ProStack

Stocked Accessories available in 4 colours



Willow Peak Ledgestone



Mounting clips are embedded within ClipStone so you can securely install onto the wall without the need to hit a stud when properly installed according to installation instructions



Cream

3

Smoke Black Light Grey



GenStone

- Exclusive distributor in Canada
- Dimpled backing eliminates need for strapping
- Appearance of real masonry at a fraction of the cost
- Available in smaller pack sizes (6 panels per carton)
- Ideal for any project as there is no need for structural modifications to the foundation
- Simple, mortarless installation with four patterns for an authentic finish
- 25-year limited warranty
- CCMC# 13692-R

GenStone Stacked Stone













Length/Pc: 46" (1.17m) **Width/Pc:** 11" (27.94cm)

Ō

GE)

TRIMS & ACCESSORIES



















UNIVERSAL CORNER



The Universal Corner panels are the same size and shape as Flat panels but have finished ends. Universal Corner panels fit neatly with Flat panels and are designed for use on end wall terminations and for inside and outside corners.

LEDGESTONE - The rugged texture and purposeful irregularity offer an exposed and well-worn look that suggests years in the elements.

VERSETTA STONE

The beauty of stone, the simplicity of siding.

- Installs with screws or nails
- No metal lath or scratch coat necessary to install
- Panels interlock with tongue & groove system
- Built-in rain screen
- Pre-drilled weep holes allow water to escape
- Can be installed in any weather conditions
- Indoor/Outdoor application
- 110 MPH Wind Resistance
- 60-Year Corrosion Resistant Nailing Flange
- 50-Year Transferable Warranty
- Class A Fire Rating
- ICC Evaluation Service Report ESR-2859



FLAT PANEL



The main component of the Boral Versetta Stone® system, the Flat panel covers two square feet and weighs approximately 17 lbs. Each panel is embedded with a G-90 galvanized nailing flange that allows for easy installation with mechanical fasteners. The built-in rain screen and other moisture management features ensure proper water drainage.

PANEL DIMENSIONS
Height: 8" Length/Pc: 36"
Note: Each panel covers 2 sq. ft.







Ply Gem PVC Trim

PVC does not absorb water, so it won't rot, warp or split. PVC trim board can be cut, drilled and routed like wood. You can even install them to grade or against concrete.




Trim Boards

PVC trim board can be cut, drilled & routed like wood. These are also available as sheets (smooth/smooth or woodgrain/smooth) or as notched bead board. They can be used for fascia, frieze boards, window and door trim, deck edging, and decorative accents.



Mouldings

Mouldings are a long-lasting alternative to wood accent trim and are available in shapes that enhance any home's style, in gables around windows and doors, or wherever you desire. Drip Cap, Shingle Mould, Rams Crown, Bead Board, Inside Corner, Historic Sill and Brick Mould are all available.



Skirt Boards

PVC skirt boards provide the finishing touch without the worries of water damage. The sloped top drains water away from the house, making it the ideal border for fiber cement and other composite siding materials. Available in smooth or woodgrain.



Corners

One-piece outside corners provide a square edge with no unsightly, rough seams.

Available in smooth or woodgrain finish.

Withstands the elements






Because Ply Gem trim does not absorb moisture, it won't rot, split or warp like wood. It also does not attract termites or other insects.

Won't split, crack or peel





Easy to install





Notched corners make it easier to install and eliminates the need for a J-channel. It cuts and saws like wood, and can be installed in natural white or painted.



NOVIK

SHAKES, STONE AND ACCENTS

- Quick & easy installation on any surface
- Linear system adjustable to the nearest 1/4" (0.64 cm) to fit the exact length of your window
- Resistance to discolouration (UV rays)
- Virtually maintenance-free
- Extreme temperature variation resistance


Louvered sizes:

- Widths: 12" (30.5 cm) or 14" (35.6 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)

Raised Panel sizes:

- Widths: 12" (30.5 cm) or 14.5" (36.8 cm)
- Lengths: 22" (55.88 cm) to 72" (182.9 cm)

Standard Colours:











Due to the printing process colours may not be exactly as shown. Please refer to actual samples before making final decisions. Inquire with your distributor to confirm colours and products.

Mounting Blocks









Universal J-Block® Square Mounting Block The J-Block® is designed to easily & attractively mount light fixtures & receptacles. Also offered in Scroll Cut.

5" x 6"



Universal Large J-Block® Mounting Block The Large J-Block® is designed to mount large light fixtures, house numbers & mailboxes. Also offered in Scroll Cut.

6" x 10-1/8"

8-5/8" x 12-7/8"

1/2" adjusts to 1-1/4"

Doctorals, 2 1/91 v 4 1/91



(L) UL Mounting Block
The Electrical UL® Mounting Block is designed to mount light fixtures or electrical outlets.


5" x 6"

7" x 8"

FLANGE DIMENSIONS:	
7-1/2" x	8-1/2"
J-CHANNEL I.D.:	
1/2" adjusts	to 1-1/4"
KNOCKOUTS:	
Round: 4" l	Diameter
Rectangle: 2-3	3/8" x 3-3/4"
6'	7-1/2"

SURFACE DIMENSIONS:

Rectangle: 2-1/8" X 4-1/8"
8-5/8° 10-1/8° 1-1/2°





Split Recessed J-Block® Mounting Block The Split Recessed J-Block® has a patented hinge that allows for ease of installation.

Mini J-Block® Mounting Block The Mini J-Block® mounting block mounts small accessories such as doorbells and electrical outlet receptacles.

6" x 4-3/8"

6-7/8" x 5-1/4"

1/2" adjusts to 1-1/4"

Round: 1-1/8" Diameter







The one-piece design can be used after siding installation to mount all types of accessories.

6-3/4" x 6-3/4"- Projection: 3/4"

NA

NA

Meter Base Mounting Block The Meter Base Mounting Block mounts large accessories such as hose racks and electric meter bases.

16-1/2" x 15-1/2"


18-1/2" x 16-3/4"

1-1/4"

SURFACE DIMENSIONS:
5-5/8" x 7-3/8"
FLANGE DIMENSIONS:
6" x 7-1/2"
J-CHANNEL I.D.:
1/2" adjusts to 1-1/4"
KNOCKOUTS:
Rectangle: 2-1/4" x 3-7/8"
\sim
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
-UNIVO HINCE
3a 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

necialiyle. 2-3/0 x 3-3/4
1-1/8' 4-3/8' Diameter 2-3/8' 7-2-3/8'
6-7/8"
5-1/4'

Round: 1" Diameter
Rectangle: 2-3/8" x 3-3/4"



NA	
16-3/4"	18-1/2"

Utility & Gable Vents









Foundation Vent

SURFACE DIMENSIONS:

The Foundation Vent is used to ventilate crawl space areas.



Louvered Exhaust Vent

 $4"=7"\,x\,7"$

 $4"=8\text{-}1/2\text{'}\ X\ 7\text{-}1/2"$

 $4"=9.2\,\text{sq}$ in

Louvered Exhaust Vent is used to vent dryers and bathroom exhaust fans.

 $6" = 9" \times 9"$

6" = 9-1/2" X 10-3/8"

 $6"=17.6 \ \text{sq}$ in



Hooded Exhaust Vent


The Hooded Exhaust Vent features snap-on installation and a built-in grate to keep animals out.

6-7/8" x 6-7/8"


6-5/8" x 5-5/8" Neutral Base


3/4" adjusts to 1-1/4"

8-3/4" x 1/"	
FLANGE DIMENSIONS:	
9-1/2" x 18-1/4"	
J-CHANNEL I.D.:	
3/4" adjusts to 1-1/4"	
NET FREE AREA:	
50 sq in	



3/4" adjusts to 1-1/4"








- Gable Vents are available in round, square, octagonal, half-round and rectangular sizes
- Ply Gem's two-piece gable vent system is fully compatible with all siding profiles
- Simply install a base when installing the siding, then snap on the coverlater
- $\bullet \ \ \mathsf{Rectangular} \ \mathsf{bases}, \mathsf{instead} \ \mathsf{of} \ \mathsf{round}, \mathsf{make} \ \mathsf{siding} \ \mathsf{cuts} \ \mathsf{easier}$
- Available in Mitten Standard & Premium vinyl siding colours
- Paintable version available
- Adjustable 5/8" 1-1/4" for use with all siding styles

ROUND DESIGN	ROUND TOP DESIGN	HALF-ROUND DESIGN	RECTANGU	LAR DESIGN	OCTAGON	AL DES I GN	SQUARE DESIGN
SIZE:							
18"	14" x 22"	34" x 22"	14" x 20"	18" x 24"	18"	22"	14" x 14"
VENTILATED OPENING:							
10" x 12-1/2"	10" x 12-1/2"	20" x 16"	10-1/2" x 15"	16" x 20"	10" x 12-1/2"	10-1/2" x 15"	10" x 12-1/2"
OUTSIDE UNIT DIMENSIONS:							
18"	14" x 22"	34" x 22"	14" x 20"	18" x 24"	18"	22"	14" x 14"
NET FREE AREA (sq in):							
48.36	53.17	80.46	23.29	92.88	49.72	48.5	33.59

Burnt Sienna • • •	
Farmhouse • • • •	
Arctic Grey • • • • Hemlock • • • •	
Huron Blue	
Yukon Grey	
Burnt Orange I ighthouse Red • • • •	
Lighthouse Red Richmond Red • • • • • • • • • • • • • • • • • • •	
Eggplant • • •	
Khaki Brown	
Caribou Brown	
Chestnut Brown	
Coffee Bean	
Timber Bark	
Rockaway Grey	
Gunmetal Grey	
Sapphire Blue Regatta Blue	
Togatta Diag	
Annapolis Blue Muskoka Green • • • •	
Grenadier Green • • • • • •	
Aviator Green	
Frost • • • • • • • • • • • • • • • • • • •	• •
Bone	
lvory	
Lite Maple	
Saffron Saffron	
Sandcastle	
Sandalwood Hearthstone	_
Hearthstone Ash Ash Ash Ash Ash Ash Ash Ash	
Clay	
Brownstone	
Satin Grey	
Flagstone • • • • • • • • • • • • • • • • • • •	
Indigo	
Stratus Stratus	
Nickel	
Sage	
Cypress	
Musket Brown	
Black ● *	

TRIMS & ACCESSORIES



Item Description 24" x 30M Heavy Trim Coil Smooth 2sp 24" x 30M Heavy Trim Coil Smooth 1sp Starter Strip - 21/8" Galvanized Starter Strip - 3½" Galvanized 10" L-Style Ribbed Fascia Quad 4" Soffit Full Vent Drip Cap 13/8" x 2" HB Drip Cap 17/8" x 3" HB Quad 4" Soffit Solid Drip Cap 13/8" x 1" 6" Smooth Fascia 8" Smooth Fascia 8" Ribbed Fascia 6" Ribbed Fascia Gable Trim Mill Finish #000 #111 White 30D White #001 • • • • • • • • • • • • • • Ice White #118 • Bone #010 • • • Ivory #005 • • • • • • • Champagne #060 • Hearthstone #049 • • • • • • • • • • #011 • • Brownstone Khaki Brown #063 • • • • • • • • • • • • • Terratone #104 Rockaway Grey #0M0 • • • Musket Brown • • • • • • • • Royal Brown #177 Flagstone #023 • • • • • • • • Stratus #054 • • • • • • • • • • Slate #006 • Dark Bronze #108 • Iron Ore #189 • • • Black #125

TRIM COILS AVAILABLE IN ALL MITTEN VINYL COLOURS

8.5" Ribbed Fascia	8.5" Smooth Fascia	.024" × 11.875" Gutter Coil 1sp	.024" x 11.875" Gutter Coil 2sp	.024" x 13.5" Gutter Coil 2sp	5" Inside / Outside Box Miter	5" Inside / Outside Strip Miter	5" End Cap Left / Right	5" Hidden Hanger	5" Zip Hanger	Gutter Seal	2 ⁵ / ₈ " x 2 ⁵ / ₈ " Downspout 10'	2 ⁵ / ₈ " x 2 ⁵ / ₈ " Elbow	3" x 3" Downspout 10'	3" x 3" Elbow	Universal Downspout Pipe Bands	3" x 3" Square Outlets	2 ⁵ / ₈ " x 2 ⁵ / ₈ " Square Outlets	Touch-up Spray Paint	Roof Edge 2 7/8" Top - 1 1/2" Drop
								•	•	•						•	•		
		•			•	•	•				•	•	•	•	•			•	
•	•																		•
			•	•	•		•				•	•	•	•	•			•	•
•			•		•		•				•	•	•	•	•			•	•
			•		•		•				•	•	•	•	•			•	•
•			•		•		•				•	•	•	•	•			•	•
•			•		•		•				•	•	•	•	•			•	•
			•		•		•				•	•	•	•	•			•	•
•			•		•		•				•	•	•	•	•			•	•
			•		•		•				•	•	•	•	•			•	•
•			•		•		•				•	•	•	•	•			•	•
•			•				•				•	•	•	•				•	
			•		•		•				•	•	•	•	•			•	•
			•		•		•				•	•	•	•	•			•	•
•			•		•		•				•	•	•	•	•			•	•
			•		•		•				•	•	•	•	•			•	•
		•	•		•	•	•				•	•	•	•	•			•	•

	MITTEN COLOUR MATCHED SHAKE	8' Shake	Cedar Shake Corner	Northern Perfection Shake	Northern Perfection Corners	Half Round Panel	NOVIK SHAKE & STONE	RS8 Cedar Shake	Cedar Shake Corner	Dry Stack	Dry Stack 2 Pc Corner	Stacked Stone	Stacked Stone Corner	NovikStone Prem. Ledger	NovikStone Prem. Ledger Corner	NovikTrim 1"	Colours	VERSETTA STONE Flat Panel		J-Channel	Starter Strip	Wainscot Cap	Light Box	Receptacle Box	
Bone #091M		•	•			•												Sterling •	•	+	_		-		
Satin Grey #149M Frost #501M		•	•											+			Versetta	Sand • Plum Creek •	•						
Khaki Brown #669M		•	٠														et	Northern Ash •	•	-					
Richmond Red #676M		•	•									-	H	-	-		r _S	Mission Point •	٠						
Sandalwood #697M Brownstone #698M		•	•	•													Ş	Charcoal Taupe	-			•	•	•	
Flagstone #801M		٠	•															raupe		•	•	•	•	•	
Stratus #803M		•	•																						
Hearthstone #804M Sage #807M		•	•																						
Clay #805M		٠	•											\perp											
Huron Blue #474M		0	•															Jer .	<u></u>	_					
Yukon Grey #473M Sapphire Blue #942M		•	•															GENSTONE Stacked Stone Stacked Stone Right Corner	Stacked Stone Left Corner	Stacked Stone 90° Corner		<u></u>	Stacked Stone Pilar Panel	₹	
Muskoka Green #461M		•	•														Colours	ght	5	Ö Ö	Ξ.	Stacked Stone Ledger	ar F	Stacked Stone Paint Kit	
Annapolis Blue #853M		0	•														\sim	e e Zi	ie Le	Je 9(T e	Je Le	ie Pi	Je P	
Timber Bark #954M Regatta Blue #955M		•	•														$\stackrel{\sim}{\sim}$	Stor Stor	Stor	Stor	Stor	Stor	Stor	Stor	
Gunmetal Grey #956M		•	٠	٠	٠												Ö	GENSTONE Stacked Stone Stacked Stone	ked	ked	Stacked Stone Trim	ked	ked	ked	
Coffee Bean #990M		0	•	•	•									+			Φ	GEN Stac	Stac	Stac	Stac	Stac	Stac	Stac	
Rockaway Grey #989M Ivory #094M		•	•	•	•								Н				GenStone	Stafford • •		•	•	•	•	•	
Nickel #452M		٠	٠														5	Coffee • •	_	•	•	•	•	•	
Indigo #451M		0	0														S	Iron Ore • •		0	•	•		•	
Grenadier Green #866M White #001		•	•											+		0	ē	Kenai • • • KeyStone	_	•	•	•	\dashv	•	
Heritage Grey #063								•	•					\top	\vdash	•	(1)	Desert Sunrise • •	•		•	•		•	
Pine #065								٠																	
Sandstone #064 Weathered Blend #201								•	•			\vdash	Н			•									
Cedar Blend #202														Ť	Ť										
Canyon Blend #208								۰	•							•									
Desert Blend #209 Aspen #216								٠														_			
Smoke Grey #217														_							de	orne			
Moka #218												•	۰												
Terra #219 Onyx #223																•				RIES	Drip Ledge Wainscot Sill Cap	Drip Ledge Wainscot Sill Corner			
Sand Blend #224												•		_					lers	280	ains	ains		B0	
Basalt #229								•	0	0	0							삦	Universal Corners	STOCK ACCESSOR	е 	е 🛚		Electric Outlet Box	Universal Trim
Brownstone #231 Anthracite #233									•	0	•						S	CLIPSTONE	Lsa	ΑĄ	edg	edg	Light Box	0 0	LSa
Travertine #234								Ť	Ť					+	\vdash		⊇	LIPS ipSt	.IV.	00	je	je	ght	ectr	j.
Limestone #235										0	0						9			.v					\supset
Lava #236										•	•			+			Colours	Osceola ProStack Teton Grey ProStack •	•						
Flint #237 Oak #301																		Black Rundle ProStack •	•						
Ebony #305								٠	٠								ne	Black Creek ProStack •	•						
Gray Mortar #681														•			5	Poinset ProStack Willow Peak Ledgestone	•						
Red Amber #652 Brown #667																•	S	Cream			•	•	•	•	•
Rockaway Grey #925								٠									ClipStone	Smoke			•	٠	•	٠	•
Teak #304								•									C	Black Light Grey			•	•	•	•	•
Walnut #303																			لللنا				L*		

^{*}Additional colours may be available by special order.
Product offering subject to change, please consult with your local branch.

BRANCH LOCATIONS



WESTERN REGION

1. VICTORIA

#149-2745 Veterans Memorial Pkwy., Langford, BC V9B 0H4 P: 236.464.1749

8. EDMONTON (Windows) **9. EDMONTON** (Siding) 18703 111 Avenue NW

Edmonton, AB T5S 2X4 P: 780.451.2590

14. REGINA

106 Leonard Street N Regina, SK S4N 5V7 P: 306.352.2399 P: 306.545.7635

2. KELOWNA

340 Old Vernon Road Kelowna, BC V1X 4R2 P: 250.868.9006

8412 Davies Rd. Edmonton, AB T6E 4Y5 P: 780.468.5222

15. SASKATOON

#102-815 66th Street E Saskatoon, SK S7P 0E6 P: 306.374.6166 P: 306.244.5777

3. LANGLEY

20215-97th Ave. Unit #1 Langley, BC V1M 4B9 P: 778.383.1060

10. GRANDE PRAIRIE

690198 Street Clairmont, AB T8X 5A1 P: 780.532.7534

16. WINNIPEG

Unit 10 - 127 Mountain View Rd. Winnipeg, MB ROC 3A0 P: 204.421.9160 P: 204.774.1580

4. PRINCE GEORGE 5. RICHMOND

#178 - 21300 Gordon Way Prince George, BC V2N 1X4 Richmond, BC, V6W 1M2 P: 604.270.1488

12. LETHBRIDGE

#10 - 3004 9 Avenue N Lethbridge, AB T1H 5E5 P: 403.327.7281

6. CALGARY (Siding) 2008 - 48 Street SE

Calgary, AB T2B 2E5 P: 403.253.1988

13. MEDICINE HAT

1887 6 Avenue SW Medicine Hat, AB T1A 8C3 P: 403.526.2520

ONTARIO REGION

18. BRANTFORD

5A - 225 Henry St. Brantford, ON N3S 7R4 P: 519.753.1810

19. LONDON

3969 Commerce Rd. Unit # 2 London, ON N6N 1P5 P: 519.644.2675

20. WHITBY

Unit 3 - 185 William Smith Dr Whitby, ON L1N 0A3 P: 647.725.0734

21, OTTAWA

101 1596 Quin Street S.

P: 250.564.7888

11. RED DEER

P: 403.346.5189

#8 - 4622 61 Street

Red Deer, AB T4N 2R2

2320 St Laurent Boulevard Ottawa, ON K1G 6C4 P: 800.267.1550

QUEBEC REGION

22. REPENTIGNY

436 Rue St-Paul Repentigny, QC J5Z 4H9 P: 514.352.9555

23. ST-HUBERT

3405. 1ère Rue St-Hubert, QC J3Y 8Y6 P: 438.289.1901

24. LEVIS

795 rue J. Ambroise-Craig Levis, QC G7A 2N2 T: 877.568.3132

ATLANTIC REGION

25. FREDERICTON

20 Casewood Dr. Fredericton, NB E3C 2L5 P: 506.453.0888

26. MONCTON


215 English Dr. Moncton, NB E1E 3Y8 P: 506 858 8824

27. DARTMOUTH

19 Gurholt Drive. Dartmouth, NS B3B 1J8 P: 902.468.3363

28. MOUNT PEARL

47 Clyde Ave. Mount Pearl NI A1N 4R8 P: 709.368.4001



Mitten and its Allied product partners make every reasonable effort to ensure the accuracy of the information provided. As information continually changes throughout the day-to-day course of our business, Mitten and its partners reserve the right at any time to change or update this information without notice and make no warranties or representation to its accuracy.



Authorized Dealer/Distributor

MIT - 01/21 49-809-000-03 Retail



Part of the Cornerstone Building Brands Family

5A - 225 HENRY STREET • BRANTFORD, ONTARIO N3S 7R4 800.265.0774 (T) • 866.257.2168 (F) • MITTENSIDING.COM









